

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51	(324/207.16).CCLS.	US-PGPUB	OR	OFF	2005/06/28 12:34
L2	123942	rotat\$3 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:35
L3	52845	2 and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:35
L4	1659	3 and (rotor with (band or annular or ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:36
L5	31	4 and coil with core with excit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:38
L6	82	4 and varying with width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:54
L7	2	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:38
L8	1514	324/207.25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:55
L9	45	324/207.25.ccls. and aurora.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:57

L10	95	324/207.\$,ccls. and aurora.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:49
L11	950	rotor with annular with width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:50
L12	0	rotor with annular with width with cirucum\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:50
L13	61	rotor with annular with width with circum\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:05
L14	12	("3311987" "3328595" "3340740" "3362233" "3373616").PN. OR ("3811328"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/28 15:56
L15	2	("3229675").URPN.	USPAT	OR	ON	2005/06/28 16:00
L16	25	("3196848" "3229675" "3242912" "3253580" "3260247" "3270718" "3270720" "3323498" "3465729" "3764239" "4043714" "5431551").PN. OR ("5769619").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/28 16:00
L17	9	rotor with (annular or ring) with width with circum\$8 with (increase or decrease or varies)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:07
L18	234593	angle with rotation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:08
L19	234	18 and magnet\$2 and core and coil and rotor and band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:12

L20	34	19 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:08
L21	292	18 and magnet\$2 and core and coil and rotor and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:12
L22	65	21 and eddy with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:13
L23	7	("4112365" "4754220" "5109193" "5710509" "6002250" "6011389" "6566862").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/28 16:14